
MDD Guideline Algorithm *Page A4*



MDD Guideline Algorithm *DSM-IV Codes*

SM-IV Code	DIAGNOSIS
96.2x	Major Depressive Disorder, Single Episode
96.3x	Major Depressive Disorder, Recurrent
00.4	Dysthymic Disorder
SM-IV 5th Digit Sub-classification Codes: "x" in 296.0–6x	
Unspecified	4 Severe, with Psychotic Behavior
Mild	5 In Partial or Unspecified Remission
Moderate	6 Full Remission
Severe, No Psychotic Behavior	

Major Depressive Disorder


Major Depressive Disorder (MDD) Guideline Patient Assessment

SIG E CAPS—Symptoms of Major Depressive and Dysthymic Disorders

- S Sleep problems*
- Interest deficit
- **G** Guilt, worthlessness*, hopelessness*, regret
- E Energy deficit*, fatigue
- C Concentration deficit*
- A Appetite disorder*—either increased or decreased
- **P** Psychomotor retardation or agitation
- S Suicidality


Note: To meet a diagnosis of major depression, a patient must have 4 of the symptoms plus depressed mood or anhedonia for at least 2 weeks. To meet a diagnosis of dysthymic disorder the patient must have 2 of the 6 symptoms marked with an asterisk (*) plus depressed mood for at least 2 years.








MDD Guideline Algorithm *Page A1*



MDD Guideline Algorithm *Page A2*



MDD Guideline Algorithm *Page A3*

